

THE ROTATIONAL SPECTRA, STRUCTURES, AND CHLORINE NUCLEAR ELECTRIC QUADRUPOLE COUPLING CONSTANTS FOR A FAMILY OF THREE HALOGENATED CYCLIC ALKENES,  $C_nF_{2n-4}Cl_2$ :  $n = 4, 5$ , AND 6

B. E. LONG, E. A. ARSENAULT, LUCAS HANSEN, *Department of Chemistry, Wesleyan University, Middletown, CT, USA*; S. A. COOKE, *Natural and Social Science, Purchase College SUNY, Purchase, NY, USA*.

Microwave spectra for a family of three halogenated cyclic alkenes,  $C_nF_{2n-4}Cl_2$ ;  $n = 4, 5$ , and 6, have been observed and analyzed. Rotational constants, quartic centrifugal distortion constants, and nuclear electric quadrupole coupling constants for a total of 9 isotopologues have been reported. These molecules are near oblate tops containing two quadrupolar nuclei. Data was first obtained via a chirp pulse Fourier transform microwave (FTMW) spectrometer, and then further analyzed with a Balle-Flygare type FTMW spectrometer to determine the chlorine nuclear electric quadrupole coupling constants. The spectroscopic parameters for all 9 species will be presented and compared.